

Size mm x mm	Product Code	Region	Anterix	CBRS	C-Band Private Networks	Optional Onboard eSIM	Onboard eSIM FF	Onboard eSIM Vendor	iSIM	NExT Embedded Global Connectivity	NExT eSIM Provisioning LP Ae/IP Ae	NExT eSIM Provisioning LP Ad/IP Ad	SGP.22	SGP.32	Non-Concurrent GNSS	Concurrent GNSS	3GPP R17 NTN NB-IoT	Embedded Apps Processing	Power Class	4G Fallback	3G Fallback	2G Fallback	Wi-Fi Scan	Short Range / Mesh Radio
--------------	--------------	--------	---------	------	-------------------------	-----------------------	-----------------	---------------------	------	-----------------------------------	------------------------------------	------------------------------------	--------	--------	---------------------	-----------------	---------------------	--------------------------	-------------	-------------	-------------	-------------	------------	--------------------------

### LPWA Cat-M & NB-IoT

Not all regional variants are shown in these tables, only global variants are shown. Contact Telit if you are interested in regional variants.

15 x 18	ME310M1-W1	Global	✓			✓		MFF-XS	Thales	◇	◇	◇		◇	◇	✓		◇		3				✓	✓		
	ME310M1-W2		✓			✓				◇	◇		◇			◇	✓			3					✓	✓	
	ME310M1-W3		✓			✓				◇		◇	◇			✓	◇	◇		3					✓		
15 x 18	ME310G1-WW			✓							✓			✓	◇	✓		✓		3				✓			
13.1 x 14.3	ME310G1-W1			✓							✓			✓	◇	✓		✓		5							
15 x 18	ME310G1-W3			✓												✓		✓		3							
20.9 x 15.3	TX82-W			✓			✓		MFF-XS	Thales		✓	✓	✓		✓				5				✓			
15.3 x 15.3	TX62-W			✓		✓						✓	✓	✓	✓		✓				5						
20.9 x 15.3	TX62W-B			✓		✓							✓	✓	✓	✓	✓				3						
27.6 x 18.8	EXS82-W						✓						✓	✓	✓	✓		✓				5				✓	
	EXS62-W						✓						✓	✓	✓	✓		✓				5					
28.2 x 28.2	ME910G1-WW			✓									✓			✓	◇	✓			✓	3				✓	
	ME910G1-W1			✓							✓			✓	◇	✓			✓	5							
	ME910G1-NTN			✓								◇		◇	◇	✓		✓	3								
	ME910G1-W3			✓							✓			✓	◇	✓			✓	3							

### LTE Cat1.bis

15 x 18	LE310-WW	Global	◇								◇			◇										◇		
28.2 x 28.2	LE910Q1-WW			✓			✓		MFF-XS	Thales		◇	◇		◇	◇				3					✓	
	LE910Q1-WWG			✓			✓						◇	◇		◇	◇		✓							✓

### LTE Cat 1 and Cat 4

29.4 x 29.4	LE910C1-WWX	Global	✓								✓		✓	◇		✓		✓	3		✓	✓				
	LE910C1-WWXD		✓								✓		✓	◇		✓		✓				✓	✓			
	LE910C4-WWX		✓								✓		✓	◇		✓		✓				✓	✓			
	LE910C4-WWXD		✓								✓		✓	◇		✓		✓				✓	✓			
33 x 29	PLS63-W			✓			✓		MFF-XS	Thales		✓	✓	✓		✓		✓					✓	✓		
	PLS83-W			✓			✓						✓	✓	✓		✓			✓					✓	✓

- ✓ Available today
- ◇ Available in the future
- blank Not supported

Size mm x mm	Product Code	Region	Anterix	CBRS	C-Band Private Networks	Optional Onboard eSIM	Onboard eSIM FF	Onboard eSIM Vendor	iSIM	NExT Embedded Global Connectivity	NExT eSIM Provisioning LP Ae/IP Ae	NExT eSIM Provisioning LP Ad/IP Ad	SGP.22	SGP.32	Non-Concurrent GNSS	Concurrent GNSS	3GPP R17 NTN NB-IoT	Embedded Apps Processing	Power Class	4G Fallback	3G Fallback	2G Fallback	Wi-Fi Scan	Short Range / Mesh Radio
--------------	--------------	--------	---------	------	-------------------------	-----------------------	-----------------	---------------------	------	-----------------------------------	------------------------------------	------------------------------------	--------	--------	---------------------	-----------------	---------------------	--------------------------	-------------	-------------	-------------	-------------	------------	--------------------------

### 5G Redcap

30 x 42	FN920C04-WW	Global	◇	✓	✓	✓	MFF-XS	Thales		✓	◇		◇	◇		✓		✓	2, 3	✓				
28.2 x 28.2	FE910C04-WW		◇	✓	✓	✓				✓	◇		◇	◇		✓		✓			✓			
	FE910C04-NA	NORAM	◇	✓	✓	✓				✓	◇		◇	◇		✓		✓			✓			

### LTE and 5G Broadband

30 x 52	FN990AXX-HP	Global	◇	✓	✓	✓	WLCSP11 (FN990A28) MFFXS (FN990A40)			On demand on FN990A40	✓**		✓	◇		✓		✓	1,5,2,3	✓	✓						
31 x 52	FN990AXX		◇	✓	✓	✓								✓	◇		✓		✓	2, 3	✓	✓					
32 x 52	FN990BXX		◇	✓	✓	✓		MFF-XS	Thales			On demand	✓**(but not tested)		✓	◇		✓		✓	1,5,2,3	✓	✓				
41 x 41	FE990BXX-NA	NORAM	◇	✓	✓	✓										✓	◇		✓		✓	1,5,2,3	✓				
41 x 41	FE990BXX-RW	EMEA APAC LATAM	◇		✓	✓											✓	◇		✓		✓	1,5,2,3	✓			
30 x 42	LN920AXX-WW	Global	◇	✓		✓	WLCSP11				*	*		✓	◇		✓		2, 3		✓						
30 x 42	LN920A6-NA	NORAM	◇	✓		✓								✓	◇		✓		2, 3								

(\*) not available when using the internal eSIM, but could be made available using external eSIM (to be tested)

(\*\*) available using external eSIM